you can

Canon

A4 plain paper Bubble Jet fax

FAX-B120 / FAX-B140

Get affordable faxing perfection



Affordable, high quality faxing with unique features

If your office needs a basic standalone fax, Canon offers you two compact, cost-efficient models with a difference. You benefit from superior quality output as well as a range of productive, time and money saving features. Complete with an unmatched price/performance ratio.

The new FAX-B120 provides full faxing perfection on plain paper. While the new FAX-B140 goes even further, with unique voice recognition dialling for automatic sending of faxes – plus an advantageous digital answering machine. Proving that basic solutions, with Canon, are far better.

FAX-B140

FAX-B120


ON
UHQ
IMAGE PROCESSING SYSTEM
OFF
Canon's unique UHQ technology ensures exceptional quality when sending photos, fine text or illustrations

HIGH QUALITY, HIGH SPEED

You can send and receive detailed fax documents with complete confidence. Canon's exclusive UHQ (Ultra High Quality) imaging technology ensures that diagrams, fine text and even photos are sent with exceptional quality. Canon's highly reliable Bubble Jet technology increases printing speed and enhances overall clarity. While transmission time is a fast 6 seconds per page[1], to help cut down your phone costs.

[1] Based on ITU-T Standard Chart No. 1.

SIMPLY TALK TO SEND A FAX

The FAX-B140 model offers UCanTalk - unique voice recognition dialling, to increase ease and efficiency. Just pre-programme the names of people you fax most often – and sending out a fax is as simple as saying their name. Another practical feature of the FAX-B140 is a built-in digital, telephone answering machine. With a total fax, telephone and answering machine solution, you'll never miss another message.

SIMPLY PRESS THE BUTTON AND TALK TO SEND A FAX

SAVING YOU TIME AND MONEY

The special Ink Saver mode allows you to almost double the amount of pages you can print[2] – saving on ink costs. The clear control panel ensures effortless faxing, with multi language support on the LCD display.

A 50-page memory[1] means that faxes are stored safely should paper run out. Or you can scan in faxes prior to sending. Speed dialling (9 one-touch/50 coded) accelerates operation.

And a caller ID function displays the phone number of incoming calls[3] and stores the last 20 numbers in memory.

[2] Normal mode: 850 pages. Ink Saver mode: 1500 pages.

[3] Dependent on telecom provider

STYLISH, SPACE-SAVING DESIGN

These two stylish, sophisticated Canon faxes don't just look different. Their compact design allows them to fit neatly on the smallest desktop. So you save on precious installation space. A convenient handset allows full phone and fax use. Plus they serve as an ideal back-up copier. Whichever model you choose, you can be sure of perfection.

FAX-B120 and FAX-B140 Specifications

Main Unit

Type	FAX-B120 - Standard facsimile with handset FAX-B140 - Standard facsimile with Telephone Answering Machine and handset
Compatibility	Group 3
Applicable line	PSTN
Print technology	Bubble Jet printing
Scanner type	Sheet fed
Body colour	Cool White + Canon Neutral White

FAX scanning features

Automatic document feeder	15 sheets
Document size	216mm (Max), 205mm (Min)
Effective scanning width	208 mm
Fax resolution	Fine : 8 dots x 7.7 lines / mm Standard : 8 dots x 3.85 lines / mm
Image processing system	UHQ (Ultra High Quality)
Halftone	64 shades of greyscale

FAX printing features

Printing method	Bubble Jet Printing
Print resolution	360 x 360 dpi
Paper capacity	50 sheets Auto Sheet Feeder
Print cartridge	BX-3 Black Cartridge
Printing width	203 mm
Others	Ink save mode, Auto image reduction on reception (Fixed)

Transmission reception features

Transmission speed	Approx. 6 seconds per page*	
Modem speed	14.4K bps (Transmission) 9.6K bps (Reception)	
Compression method	MH, MR, MMR	
FAX memory	Approx. 50 pages (Transmission)* Approx. 40 pages (Reception)*	
Polling	transmission	No
	reception	Yes
Others	Direct transmission, Dual access (Semi Dual), Error Correction Mode (ECM), Delayed transmission, Sequential broadcast (60 locations)	

*Based on ITU-T Standard Chart No.1.

Management features

Reports and Lists	Activity report, Transmission report, Reception report, Multi TX/RX reports, One-touch/Coded speed dialling list, User's data list, Doc. memory list
One touch dials	9 locations
Coded dials	50 locations
Others	Transmission header, Redial (Automatic & Manual), FAX/TEL auto switch, Answering machine hook up (FAX-B120 only), Extension hook up, Remote reception, Caller ID (conforming to ETS300778 - Dependant on Telecom provider), Telephone handset (Cradle Built in), UCanTalk - voice dialling (FAX-B140 only)

Copier features

Copy resolution	360x360 dpi	
Multiple copy	Up to 99 copies	
Display	Type	LCD
	Size	16 x 1
	Languages	15 languages
Others	Mono copy, direct copy, Reduction (90%, 80%, 70%)	

General features

Dimensions without trays and handset (W x D x H)	400 x 228 x 177mm	
Dimensions with trays and handset (W x D x H)	410 x 307 x 308 mm	
Installation space (W x D x H) (including trays & handset)	408 x 308 x 303 mm	
Weight	Approx. 4.7kg	
Power	source	AC 200-240V 50-60Hz
	consumption	Approx. 4.5W (standby), Approx. 34W (Max)
Acoustic Noise Levels	Max. 41.78 dB (Copying), Min. 37.11 dB (Receiving)	

™ All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.
Canon reserves the right to change specifications without notice.

you can

Canon

Canon Inc.
30-2, Shimomaruko 3-Chome, Ohta-ku,
Tokyo 146-8501, Japan
www.canon.com

Europe, Africa and Middle East
Canon Europa N.V.
P.O. Box 2262, 1180 EG Amstelveen,
the Netherlands
www.canon-europe.com

English Edition CODE
© Canon Europa N.V. 2001 (0302)

WWF Canon Europa NV Conservation Partner

UHQ IMAGE PROCESSING SYSTEM

Can Talk